



### **Benefit**

- •Enginered for highest functionality
- •Larger and more absorbent towels: lower usage and maintenance costs
- Top-quality tissue: quick and effective hand drying
- •Ready to use: hygienic and convenient





## **Product properties**

| Article | System                      | Unfolded<br>Length | Unfolded<br>Width | Folded<br>Length | Folded Width | Layers | Print | Embossing | Colour |
|---------|-----------------------------|--------------------|-------------------|------------------|--------------|--------|-------|-----------|--------|
| 100289  | H2 - Interfold towel system | 25.5 cm            | 21.2 cm           | 8.5 cm           | 21.2 cm      | 2      | Yes   | Yes       | White  |



# Shipping data

### Consumer unit

| EAN          | 7322540159974 |  |  |  |
|--------------|---------------|--|--|--|
| Pieces       | 150           |  |  |  |
| Material     | Banderole     |  |  |  |
| Height       | 130 mm        |  |  |  |
| Width        | 85 mm         |  |  |  |
| Length       | 212 mm        |  |  |  |
| Volume       | 2.3 dm3       |  |  |  |
| Net weight   | 353 g         |  |  |  |
| Gross weight | 359 g         |  |  |  |

### Transport unit

| EAN            | 7322540159981 |  |  |  |
|----------------|---------------|--|--|--|
| Pieces         | 3150          |  |  |  |
| Consumer units | 21            |  |  |  |
| Material       | Plastic       |  |  |  |
| Height         | 212 mm        |  |  |  |
| Width          | 390 mm        |  |  |  |
| Length         | 595 mm        |  |  |  |
| Volume         | 49.2 dm3      |  |  |  |
| Net weight     | 7.41 kg       |  |  |  |
| Gross weight   | 7.63 kg       |  |  |  |



### **Environmental**

#### Content

Chemical Pulp

Chemicals

#### Material

#### Virgin fibre

Virgin pulp fibres are produced out of softwood or hardwood. The process is either sulphite or sulphate delignification, meaning that e.g. lignins and resins are removed from cellulosic material.

#### **Bleaching of fibres**

Bleaching is a cleaning process of the fibres and the aim is to achieve a bright pulp, but also to get a certain purity of the fibre in order to achieve the demands for hygiene products and in some cases to meet the requirements for food safety.

There are different methods used today for bleaching ECF (elementary chlorine free( where chlorine dioxide is used, and TCF (totally chlorine free) where ozone, oxygen and hydrogen peroxide is used.

#### Chemicals

The chemicals used in the process as well as the functional chemicals are assessed from an environmental, occupational health and safety and product safety point of view.

The used functional chemicals are:

Wetstrength agent

Dry strength agent

Dye = if coloured

Fixing agents

Fluorescent whitening agent

Glue = if used

The process chemicals are:

Antipitch

Protection agent

Yankee coating

Defoamer

Dispersing agents and surfactants

pH and charge control

Retention aids

Broke treatment chemicals

Drainage aid



#### **Packaging**

Fulfilment of Packaging and Packaging Waste Directive (94/62/EC): Yes

Environmental label = Ecolabel

This product does not have an ecolabel

Date of issue 2006-06-12

Revision date 2010-03-12

SCA Hygiene Products AB, 405 03 Göteborg, SE

#### **Production**

Material produced at Mannheim mill and product converted at Kostheim mill, Germany, certified according to ISO 9001:2000, ISO 14001 and EMAS

#### **Destruction**

This product is mainly used for personal hygiene and can be collected together with household waste.