



PICO[◇] 14

Engangssystem til sårbehandling med negativt tryk (NPWT)

Helping you get **CLOSER TO ZERO**[◊]
delay in wound healing
smith-nephew.com/pico

+ Ny PICO[◇] 14 NPWT til engangsbbrug Udviklet til sværthelende sår

Vores nye PICO 14 NPWT-engangssystem med AIRLOCK teknologi har en levetid på op til 14 dage,¹ og kan anvendes på dybe sår (ned til 7 cm).² Med en forbedret pumpe, som giver mulighed for behandling af større sår med mindre brugeropmærksomhed.^{3†}

Opnå en bedre sårhelingskurve med PICO end med standardbandager⁴ og traditionel NPWT⁵

Smith+Nephew





		PICO [®] 14 kit*	PICO bandagepakker** (5 stk)	PICO 7 kit med 1 bandage***	PICO 7 kit med 2 bandager****	PICO 7Y kit****
	Bandagestørrelse	S+N varenr	S+N varenr	S+N varenr	S+N varenr	S+N varenr
	10cm x 20cm	66802042	66802022	66802012	66802002	66802031
	10cm x 30cm	66802043	66802023	66802013	66802003	
	10cm x 40cm	66802044	66802024	66802014	66802004	
	15cm x 15cm	66802045	66802025	66802015	66802005	
	15cm x 20cm	66802046	66802026	66802016	66802006	
	15cm x 30cm	66802047	66802027	66802017	66802007	
	20cm x 20cm	66802048	66802028	66802018	66802008	
	25cm x 25cm	66802049	66802029	66802019	66802009	
Multisite						
	Small 15cm x 20cm	66802040	66802020	66802010	66802000	
	Large 20cm x 25cm	66802041	66802021	66802011	66802001	

*1 pumpe, 2 bandager, bælteclips og fikseringsstrimler. Letvæskende sår - op til 14 dage.

**5 stk enkeltpakke sterile bandager og fikseringsstrimler.

***1 pumpe, 2 bandager, bælteclips og fikseringsstrimler.

****1 pumpe, 2 bandager, bælteclips og fikseringsstrimler.

*****1 pumpe, bælteclips, 2 store Multisite bandager, 2 forlængede soft port 450 mm og fikseringsstrimler.

Yderligere bandager kræves til moderat væskende sår (sælges separat).

Smith & Nephew A/S
Slotsmarken 14
DK-2970 Hørsholm
Danmark

T +45 45 80 61 00
F +45 45 80 61 51

www.smith-nephew.com

®Varemærke tilhørende Smith+Nephew
Alle varemærker er godkendte
©September 2019 Smith+Nephew
19-05580

For detaljerede produktoplysninger, herunder indikationer for anvendelse, kontraindikationer, forholdsregler og advarsler henvises til produktets brugervejledning (IFU) før brug.

Referencer 1. Smith+Nephew December 2018. PICO 14 Service Life Testing: 14 Day Device Lifespan. Internal Report. RD/18/132. 2. Smith+Nephew 2018. The review of evidence supporting the use of PICO in wounds ≥ 2 cm in depth. Internal report EO AWM. PCS230.001 v2. 3. Smith+Nephew 2019. Research & Development Report. PICO 14 and PICO 7 Initial Pump Down and Maintenance Pump Down Time Outs RD/19/084. 4. Dowsett C, Hampton J, Myers D, Styche T. Use of PICO to improve clinical and economic outcomes in hard-to-heal wounds. Wounds International. 2017;8, p53-58. 5. Kirsner R, Dove C, Reyzelman A, Vayser D, Jaimes H. A prospective, randomized, controlled clinical trial on the efficacy of a single-use negative pressure wound therapy system, compared to traditional negative pressure wound therapy in the treatment of chronic ulcers of the lower extremities. Wound Repair Regen. 2019 May 14. [Epub ahead of print].

[†]Sammenlignet med tidligere versioner.