

# SELEFA<sup>®</sup> Examination Gloves, Vinyl REGULAR REF: 210282XS, 210282S, 210282M, 210282L, 210282XL

Powder-free vinyl examination glove for single use.

### **Key Features**

- Ambidextrous and with rolled rim for extra cuff strength
- Powder free and latex free
- Good alternative to those suffering from type I and accelerator related type IV allergies



#### Recommendations for use





Basic cleaning Basic procedures and wards

REF	DESCRIPTION	SIZE CODE	Overall Length	Pack Count dispenser/carton
210282XS	Examination Gloves, Vinyl REGULAR, XS, Clear		240 mm	150 / 1500
2102825	Examination Gloves, Vinyl REGULAR, S, Clear		240 mm	150 / 1500
210282M	Examination Gloves, Vinyl REGULAR, M, Clear		240 mm	150 / 1500
210282L	Examination Gloves, Vinyl REGULAR, L, Clear		240 mm	150 / 1500
210282XL	Examination Gloves, Vinyl REGULAR, XL, Clear		240 mm	150 / 1500

Sales Unit: Transport Carton

### Regulations

## CE MD LATEX FREE 🛞 🕂 🏌 EN 455

REACH regulation:	The products covered by this data sheet do not contain substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR), including any of the Substances of Very High Concern (SVHC) as listed in the latest available version of the Candidate List published by European Chemicals Agency (ECHA).
Freedom of holes:	AQL 1.5
Force at break (N):	$\ge$ 3.6 N (before and after challenge test)
Biological evaluation:	Total quantity of powder residues for powder-free glove: < 2 mg/glove Cytotoxicity tested acc. to EN ISO 10993-5 Irritation and skin sensitization tested acc. to EN ISO 10993-10
Compliance with legal requirements:	Medical Device Regulation (EU) 2017/745, MDR class I
Compliance with product standards:	EN 455: 1 – 4
Food safety:	The glove is suitable for handling aqueous foodstuffs - not for handling fatty foods.
Other tests performed:	Viral penetration according to ASTM F1671
Quality standards:	EN ISO 13485
Label information and packaging compliance:	EN ISO 15223-1, EN ISO 20417

### Material

Product Part	Raw Material & Characteristics
Palm	Polyvinyl Chloride, single wall thickness min. 0.05 mm
Finger	Polyvinyl Chloride, single wall thickness min. 0.05 mm

### Warnings & Recommendations

	The product is single use. If reused, the performance of product may deteriorate and cross contamination may occur.			
Storage Recommendat	ion Recommended storage in clean, dry space in ambient temperature. Products should be protected from direct sunlight, other intensive light sources and ozone.			
Disposal Recommenda	tion Dispose in accordance with local regulations.			
Shelf Life	5 years			

### **Packing Information**

Package	Material	Size ( L x W x H ) mm
Single Pack	N/A	N/A
Dispenser Pack	Cardboard, TCF or ECF quality	240 x 120 x 80
Transport Carton	Corrugated board, TCF or ECF quality	420 x 250 x 255
Packing Tape	PVC-free, Transparent	N/A

### Barcodes / UDI-DI

REF	Single Pack	Dispenser	Transport Carton
210282XS	N/A	06438129353389	06438129553383
2102825	N/A	06438129353334	06438129553338
210282M	N/A	06438129353341	06438129553345
210282L	N/A	06438129353358	06438129553352
210282XL	N/A	06438129353396	06438129553390

Evercare Medical AB is a partner that enables better lives for patients, facilitates everyday life for healthcare employees and contributes to lower care costs. We strive to reduce the environmental impact and, together with our suppliers, to improve working conditions throughout the value chain.