



evercare® inLine Extension line, PVC-free

REF: 10526-01, 10527-01, 10528-01, 10529-01

evercare® inLine Extension Line is suitable for extension of infusion lines or can be connected to a syringe. Extension Lines are sterile, single use products that are used to conduct intravenous fluids and/or drug as an extension of the infusion & perfusion device by enabling connection to a source infusion and an infusion device with vascular access.

Key Features

- ▶ Can withstand high liquid pressure up to 55 bar
- ▶ One male and female connector at each end
- ▶ Hydrophobic filter prevents leakage while priming
- ▶ Fixed luer lock





REF	DESCRIPTION	SIZE - Tube Inner/outer, L(length)	PRIMING VOLUME(ml) Approx	Pack Count dispenser/carton
10526-01	Extension line, PVC-free	Ø 1/2 mm, L 50cm	0.4	25 / 100
10527-01	Extension line, PVC-free	Ø 1/2 mm, L 150cm	1.1	25 / 100
10528-01	Extension line, PVC-free	Ø 1/2 mm, L 200cm	1.5	25 / 100
10529-01	Extension line, PVC-free	Ø 1/2 mm, L 300cm	2.2	25 / 100


Sales Unit: Transport Carton


Regulations


The product complies with legal requirements for medical devices. EO sterilized according to valid version of ISO 11135 standard.


 **2460**


 **STERILE**


 **EO**


 **MD**











 15 °C 25 °C


 **2** **STERILIZATION**




 **P** Safe for use with pressure infusion equipment.

 Fluid path

 Luer lock

 Non-pyrogenic



REACH regulation:	The products covered by this data sheet do not contain substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR), including any of the Substances of Very High Concern (SVHC) as listed in the latest available version of the Candidate List published by European Chemicals Agency (ECHA).
Biological evaluation:	EN ISO 10993-01
Compliance with legal requirements:	Medical Device Regulation (EU) 2017/745, MDR Class IIa
Compliance with product standards:	EN 8536-9, EN ISO 80369-7
Quality standards:	EN ISO 13485
Label information and packaging compliance:	EN ISO 15223-1, EN ISO 20417

Material

Product Part	Raw Material & Characteristics
Male luer cap	HDPE, white
Male/female luer connectors	HDPE/LDPE, blue
Tube	LDPE, PVC-free, kink resistant
Purge filter cap	HDPE, light blue

Warnings & Recommendations

Warnings	<p>The use of this product is restricted to a qualified doctor or nurse.</p> <p>Read the instructions before use. The device should be used in accordance with the instructions.</p> <p>The device is guaranteed sterile and pyrogen-free if the individual package has not been opened or damaged. Do not use if package is damaged or if protective caps are loose or missing.</p> <p>Do not over-tighten a luer beyond the friction fit as this may damage both the luer and another connecting device.</p> <p>Do not use any instruments for clamping the tubing or luer tightening.</p> <p>Re-use may lead to infection or other illness/injury.</p> <p>Do not leave open ports/hubs exposed. Replace sterile end caps, as necessary.</p>
Storage Recommendation	Recommended storage in clean, dry space between 15 - 25 °C. Products should be protected from direct sunlight, other intensive light sources and ozone.
Disposal Recommendation	Dispose in accordance with local regulations.
Shelf Life	5 years

Packing Information

Package	Material	Size (L x W x H) mm
Single Pack	Medical grade paper, PP/PE film	140 x 80
Dispenser Pack	PP	305 x 460 x 0
Transport Carton	TCF quality, Carton	310 x 270 x 192
Packing Tape	PVC-free, Transparent	N/A

Barcodes / UDI-DI

REF	Single Pack	Dispenser	Transport Carton
10526-01	06438129121667	N/A	06438129521665
10527-01	06438129121674	N/A	06438129521672
10528-01	06438129121681	N/A	06438129521689
10529-01	06438129121698	N/A	06438129521696

Evercare Medical AB is a partner that enables better lives for patients, facilitates everyday life for healthcare employees and contributes to lower care costs. We strive to reduce the environmental impact and, together with our suppliers, to improve working conditions throughout the value chain.