

## evercare<sup>®</sup> inLine 3-way stopcock, 2 Needle free connector, Extension line, PVC-free

REF: 10575-02, 10625

evercare<sup>®</sup> inLine 3-way stopcocks are a and broad range of product for different needs. 3-way stopcock with extension tubing in different legths enabling connections to two sources of infusion and/or injection or a combination of both. Stopcock are sterile, single use products that are used to conduct intravenous fluids as an extension of the infusion or perfusion device, by enabling connections to two sources of infusion and an infusion device with vascular access.

### Key Features

- ▶ Needle Free Connector
- ▶ MicroClave Clear
- ▶ Can be activated up to 700 times
- ▶ Lipid resistant
- ▶ 45° click feature
- ▶ Products can withstand upto 2 bar liquid pressure
- ▶ Rotating luer lock




REF	DESCRIPTION	SIZE - Tube Inner/outer, L(length)	PRIMING VOLUME(ml) Approx	Pack Count dispenser/carton
10575-02	3-way stopcock,2 Needle free connector, Extension line, PVC-free	Ø 3/4.1 mm, L 10cm	0,094	25 / 100
10625	3-way stopcock,2 Needle free connector, Extension line, PVC-free	Ø 3/4.1 mm, L 100cm	0,067	25 / 100

Sales Unit: Transport Carton

## Regulations

The product complies with legal requirements for medical devices. EO sterilized according to valid version of ISO 11135 standard.



<b>REACH regulation:</b>	The products covered by this data sheet do not contain substances classified as carcinogenic, mutagenic or toxic for reproduction (CMR), including any of the Substances of Very High Concern (SVHC) as listed in the latest available version of the Candidate List published by European Chemicals Agency (ECHA).
<b>Biological evaluation:</b>	EN ISO 10993-01
<b>Compliance with legal requirements:</b>	Medical Device Regulation (EU) 2017/745, MDR class IIa
<b>Compliance with product standards:</b>	EN 8536-9, EN ISO 80369-7
<b>Quality standards:</b>	EN ISO 13485
<b>Label information and packaging compliance:</b>	EN ISO 15223-1, EN ISO 20417

## Material

Product Part	Raw Material & Characteristics
Male luer cap	HDPE, white
3-way stopcock	Transparent channel PC, lipid resistant, white handle HDPE
Needle free connector	PC + Silicone, transparent
Tube	Polyolefin alloy, PVC-free, soft, clear, kink resistant
Rotating luer lock	ABS & PC, transparent
Purge filter cap	HDPE, light blue

## Warnings & Recommendations

### Warnings

The use of this product is restricted to a qualified doctor or nurse.  
Read the instructions before use. The device should be used in accordance with the instructions.  
The device is guaranteed sterile and pyrogen-free if the individual package has not been opened or damaged. Do not use if package is damaged or if protective caps are loose or missing.  
Do not over-tighten a luer beyond the friction fit as this may damage both the luer and another connecting device.  
Do not use any instruments for clamping the tubing or luer tightening.  
Re-use may lead to infection or other illness/injury.  
Do not leave open ports/hubs exposed. Replace sterile end caps, as necessary.

### Storage Recommendation

Recommended storage in clean, dry space between 15 - 25 °C. Products should be protected from direct sunlight, other intensive light sources and ozone.

### Disposal Recommendation

Dispose in accordance with local regulations.

### Shelf Life

5 years

## Packing Information

Package	Material	Size ( L x W x H ) mm
Single Pack	Medical grade paper, PP/PE film	10575-02: 140 x 80 10625: 235 x 100
Dispenser Pack	PP	305 x 460
Transport Carton	TCF quality, Carton	10575-02: 310 x 270 x 192 10625: 400 x 295 x 287
Packing Tape	PVC-free, Transparent	N/A

## Barcodes / UDI-DI

REF	Single Pack	Dispenser	Transport Carton
10575-02	06438129124842	N/A	06438129524840
10625	06438129122831	N/A	06438129522839

Evercare Medical AB is a partner that enables better lives for patients, facilitates everyday life for healthcare employees and contributes to lower care costs. We strive to reduce the environmental impact and, together with our suppliers, to improve working conditions throughout the value chain.