

Wound Management
Smith & Nephew
Medical Ltd.
101 Hessle Road
Hull HU3 2BN
England

T 44 (0) 1482 225 181
F 44 (0) 1482 328 326
www.smith-nephew.com



PRODUCT SAFETY DATA SHEET **Opsite Flexifix Rolls PSDS**

Approvals

Author Name: Peter Pyott
Signature Date/Time: 29 SEP 2011 15:50 GMTUK
Global Date/Time: 29 SEP 2011 14:50 UTC
Representation: Author Signature
Signature Reason: Document Management: Status Change

Signatory Name: Sally Pilling
Signature Date/Time: 29 SEP 2011 19:03 UTC
Global Date/Time: 29 SEP 2011 19:03 UTC
Representation: Engineering Signature
Signature Reason: Document Management: Status Change

Document Number:	1002513	Document Part:	000
Document Version:	03	Document Status:	Released

Product Safety Data Sheet

1. PRODUCT NAME(S): Opsite Flexifix Rolls

2. INTENDED USES:

Dressing retention, Catheter line fixation, skin protection/ostomy care and treatment of diabetic neuropathy.

3. COMPOSITION:

Polyurethane film supported by a release coated carrier film and coated with an adhesive which is protected by a release coated paper. Both release carriers are score cut to aid application.

4. PHYSICAL AND CHEMICAL PROPERTIES:

Combustible solid.

5. HAZARD INFORMATION:

Health effects: No health hazard is anticipated during normal handling of this product.

Document Number: 1002513
Document Version: 03

Document Part: 000
Document Status: Released

6. FIRST AID:	
a) Inhalation	Not applicable
b) Contact with skin	Not applicable
c) Contact with eyes	Not applicable
d) Ingestion	Not applicable

7. FIRE AND EMERGENCY MEASURES:

The product is a combustible solid which gives off toxic fumes, mainly carbon monoxide, carbon dioxide and hydrogen cyanide, when ignited. In case of fire any standard fire extinguisher may be used; wear self-contained breathing apparatus.

8. ACCIDENTAL RELEASE MEASURES:

Not applicable.

9. HANDLING AND STORAGE PRECAUTIONS:

Store in a cool, dry place. Keep away from sources of ignition.

10. EXPOSURE CONTROLS/PERSONAL PROTECTION:

Not Applicable.

11. STABILITY AND REACTIVITY:

Not Applicable.

12. TOXICOLOGICAL INFORMATION::

See information given in Hazard Information: Health Effects.

13. ECOLOGICAL INFORMATION:

Not Applicable.

14. DISPOSAL:

Controlled incineration/landfill according to local environmental health guidelines

15. TRANSPORT PRECAUTIONS:

Document Number: 1002513
Document Version: 03

Document Part: 000
Document Status: Released

See Handling and Storage Precautions.

16. REGULATORY INFORMATION:

Not applicable.

17. ADDITIONAL INFORMATION:

Not applicable.

18. NAME, ADDRESS AND TELEPHONE NUMBER OF SUPPLIER:

Compliance & Regulatory Department
Smith & Nephew Healthcare
Healthcare House
101 Hessle Road
Hull
HU3 2BN
Telephone: 01482 222200
Fax: 01482 222211

Email Address: advice@smith-nephew.com

19a) REFERENCE NUMBER	1002513
19b) DATE OF ISSUE	28-09-2011

This information is provided in accordance with the requirements of the UK Health and Safety at Work Act 1974, and specifically in order to assist users of the product to make their 'assessment of health risks' as required by the UK Control of Substances Hazardous to Health Regulation 2002 (COSHH assessments). Provision of this information does not preclude users from seeking advice from other sources as indicated in the COSHH guides. The information is intended to cover potential hazards at the place of work and does not detail medical uses, indications, contra-indications and precautions for the treatment of patient.

Document Number: 1002513 Document Part: 000
Document Version: 03 Document Status: Released

SPECIFICATION

Document Title

SPECIFICATION

This is where you type the body of the document.

REASON FOR CHANGE

Document Version	Section/Paragraph Changed	Change Made	Date
2	NA	Re-format main document.	08/05/07
3	None	Periodic review , New Template, no changes to content	28/09/11

Document Number: 1002513
Document Version: 03

Document Part: 000
Document Status: Released

RE-VERIFICATION OF DOCUMENT SUITABILITY

The normal expiry date/time for a printed non-controlled document is 06:00 on the day after the date the document was printed. If such a document is required for more than one day, rather than print a new copy each day, the existing printout can be manually compared to the electronic copy. If it is the same version, you may sign and date the following agreement for each additional day:

"I have compared this paper copy to the original electronic copy on the date shown below and certify that both are the same version number"

Print Name	Signature	Date

Document Number: 1002513
Document Version: 03

Document Part: 000
Document Status: Released

Plant Number(s):

None

Product Code(s):

66000040, 66000041, 66000375, 66030569, 66030570, 66320569, 66320570

*** END OF DOCUMENT ***

Document Number: 1002513
Document Version: 03

Document Part: 000
Document Status: Released