Wound Management Smith & Nephew Medical Ltd. 101 Hessle Road Hull HU3 2BN England T 44 (0) 1482 225 181 F 44 (0) 1482 328 326 www.smith-nephew.com



SPECIFICATION PSDS Cuticerin

Approvals

Author Name: Nichola Grayson

Signature Date/Time: 08 FEB 2012 09:44 UTC Global Date/Time: 08 FEB 2012 09:44 UTC

Representation: Author Signature

Signature Reason: Document Management: Status Change

Signatory Name: Caroline Watson

Signature Date/Time: 08 FEB 2012 10:13 GMTUK
Global Date/Time: 08 FEB 2012 10:13 UTC
Representation: Engineering Signature

Signature Reason: Document Management: Status Change

Document Number: 2002269 Document Part: 000
Document Version: 02 Document Status: Released

Product Safety Data Sheet

1. PRODUCT NAME(S): CUTICERIN.				
2. INTENDED USES: Treatment of surface, secreting and secondary healing wounds.				
3. COMPOSITION: Smooth, acetate fabric coated with an inactive hydrophobic ointment. The ointment consists of petroleum jelly, paraffin and wool wax alcohol.				
4. PHYSICAL AND CHEMIC	CAL PROPERTIES: Combustible solid.			
5. HAZARD INFORMATION Health effects: No health hazard is anti	N: cipated during normal handling of this product.			
6. FIRST AID:				
a) Inhalation	Not applicable.			
b) Contact with skin	Not applicable.			
c) Contact with eyes	Seek medical advice			
d) Ingestion	Seek medical advice			
combustion products ma	MEASURES: The product is a combustible solid and hazardous ay include toxic and/or irritating fumes/compounds. In case of fire any er may be used; wear self-contained breathing apparatus.			

Page 2 of 5

Document Number:

Document Version:

2002269

02

Document Part:

Document Status:

000

Released

8. ACCIDENTAL RELEASE MEASURES: Not applicable.
9. HANDLING AND STORAGE PRECAUTIONS: Store in a cool, dry place.
10. EXPOSURE CONTROLS/PERSONAL PROTECTION: Not applicable.
11. STABILITY AND REACTIVITY: Not applicable.
12. TOXICOLOGICAL INFORMATION: Not applicable.
13. ECOLOGICAL INFORMATION: Not applicable.
14. DISPOSAL: Controlled incineration/landfill according to local environmental health guidelines.
15. TRANSPORT PRECAUTIONS: As section 9 - Handling and Storage.
16. REGULATORY INFORMATION: Not applicable.
17. ADDITIONAL INFORMATION: Not applicable.
18. NAME, ADDRESS AND TELEPHONE NUMBER OF SUPPLIER: Compliance & Regulatory Department

Document Number: 2002269 Document Part: 000
Document Version: 02 Document Status: Released

Page 3 of 5

Smith & Nephew Healthcare

Healthcare House 101 Hessle Road

Hull HU3 2BN

Telephone: 01482 222200 Fax: 01482 222211

Email Address: advice@smith-nephew.com

19a) REFERENCE NUMBER	2002269
19b) DATE OF ISSUE	Feb 2012

This information is provided in accordance with the requirements of the UK Health and Safety at Work Act 1974, and specifically in order to assist users of the product to make their 'assessment of health risks' as required by the UK Control of Substances Hazardous to Health Regulation 2002 (COSHH assessments). Provision of this information does not preclude users from seeking advice from other sources as indicated in the COSHH guides. The information is intended to cover potential hazards at the place of work and does not detail medical uses, indications, contra-indications and precautions for the treatment of patient.

REASON FOR CHANGE

Document Section/Paragraph Version Changed		Change Made	Date
1	N/A	Periodic Review. Initial issue as Z10 document. Replaces DMS 1002549.	07/04/09
2	N/A	Update of format	02/02/12

Document Number: 2002269 Document Part: 000

Document Version: 02 Document Status: Released

Plant Number(s):

NorRE-VERIFICATION OF DOCUMENT SUITABILITY

The normal expiry date/time for a printed <u>non-controlled</u> document is 06:00 on the day after the date the document was printed. If such a document is required for more than one day, rather than print a new copy each day, the existing printout can be manually compared to the electronic copy. If it is the same version, you may sign and date the following agreement for each additional day:

Product Cope this paper copy to the original electronic copy on the date shown below and certify that both are the same version number"

6 <u>6045502,</u>	<u>66045560, 6604556</u> 1, 6	<u>6045562, 66045563, 66045564, 663</u>	<u>21555, 66321556</u>
66321557	Print Name	Signature	Date
** END	OF DOCUMENT ***		

Document Number: 2002269 Document Part: 000
Document Version: 02 Document Status: Released