

Wound Management
Smith & Nephew
Medical Ltd.
101 Hessle Road
Hull HU3 2BN
England

T 44 (0) 1482 225 181
F 44 (0) 1482 328 326
www.smith-nephew.com



Product Safety Data Sheet **Intrasite Gel Conformable Dressing**

Approvals

Author Name: Steven Martin
Signature Date/Time: 19 JUN 2015 10:22 GMTUK
Global Date/Time: 19 JUN 2015 09:22 UTC
Representation: Author Signature
Signature Reason: Document Management: Status Change

Signatory Name: Caroline Watson
Signature Date/Time: 24 JUN 2015 11:45 GMTUK
Global Date/Time: 24 JUN 2015 10:45 UTC
Representation: Engineering Signature
Signature Reason: Document Management: Status Change

Document Number:	1002517	Document Part:	000
Document Version:	04	Document Status:	Released

1. PRODUCT NAME(S): INTRASITE Gel Conformable Dressing

2. INTENDED USES:
For the management of open wounds, particularly for the packing of deep cavity wounds to prevent premature closure.

3. COMPOSITION:
A non-woven synthetic gauze liberally coated with INTRASITE Gel, in a polyester/ aluminum/ polypropylene laminate sachet.

4. PHYSICAL AND CHEMICAL PROPERTIES: Not applicable.

5. HAZARD INFORMATION:
Health effects: No health hazard is anticipated during normal handling of this product.

6. FIRST AID:

a) Inhalation	Not applicable.
b) Contact with skin	Not applicable.
c) Contact with eyes	Irrigate well with clean warm water. Seek medical aid.
d) Ingestion	DO NOT induce vomiting. Seek medical aid.

7. FIRE AND EMERGENCY MEASURES:
The packaging is combustible and may give off toxic fumes, mainly carbon monoxide, when ignited.
In case of fire, any standard fire extinguisher may be used.
Wear self-contained breathing apparatus.

8. ACCIDENTAL RELEASE MEASURES:

Can be contained and swept up mechanically, any residue can be contained and disposed of by normal disposal route.

9. HANDLING AND STORAGE PRECAUTIONS:

Store in a cool, dry place (<25°C). Keep away from sources of ignition.

10. EXPOSURE CONTROLS/PERSONAL PROTECTION: Not applicable.

11. STABILITY AND REACTIVITY:

Not Applicable under normal conditions of use

12. TOXICOLOGICAL INFORMATION: No known toxicological effects.

13. ECOLOGICAL INFORMATION: No known environmental effects.

14. DISPOSAL:

Controlled incineration/ landfill; according to local environmental health guidelines.

15. TRANSPORT PRECAUTIONS: Not applicable.

16. REGULATORY INFORMATION: Not Applicable.

17. ADDITIONAL INFORMATION: Not applicable.

Document Number: 1002517
Document Version: 04

Document Part: 000
Document Status: Released

18. NAME, ADDRESS AND TELEPHONE NUMBER OF SUPPLIER:

Compliance & Regulatory Department
 Smith & Nephew Healthcare
 Healthcare House
 101 Hessle Road
 Hull
 HU3 2BN
 Telephone: 01482 222200
 Fax: 01482 222211
 Email Address: advice@smith-nephew.com

19a) REFERENCE NUMBER	PSDS 157
19b) DATE OF ISSUE	June 2015

This information is provided in accordance with the requirements of the UK Health and Safety at Work Act 1974, and specifically in order to assist users of the product to make their 'assessment of health risks' as required by the UK Control of Substances Hazardous to Health Regulation 2002 (COSHH assessments). Provision of this information does not preclude users from seeking advice from other sources as indicated in the COSHH guides. The information is intended to cover potential hazards at the place of work and does not detail medical uses, indications, contra-indications and precautions for the treatment of patient.

REASON FOR CHANGE

Document Version	Section/Paragraph Changed	Change Made	Date
1	N/A	Migrated from QSI PSDS157 to DMS Doc 1002517	2006
2	NA	Re-format main document and minor alterations. COSHH regulations 2002	03/10/2008
3	N/A	Periodic review: Reformatted to DMS Doc 1003205, no changes made.	03/10/2011
4	Whole document	Periodic review: No changes made	18/06/2015

Document Number: 1002517
 Document Version: 04

Document Part: 000
 Document Status: Released

RE-VERIFICATION OF DOCUMENT SUITABILITY

The normal expiry date/time for a printed non-controlled document is 06:00 on the day after the date the document was printed. If such a document is required for more than one day, rather than print a new copy each day, the existing printout can be manually compared to the electronic copy. If it is the same version, you may sign and date the following agreement for each additional day:

"I have compared this paper copy to the original electronic copy on the date shown below and certify that both are the same version number"

Print Name	Signature	Date

Document Number: 1002517 Document Part: 000
 Document Version: 04 Document Status: Released

Plant Number(s):

None

Product Code(s):

66000324, 66000325, 66000326, 66000724

*** END OF DOCUMENT ***

Document Number: 1002517
Document Version: 04

Document Part: 000
Document Status: Released